

AMENDMENT TO THE CLAIMS

Listing of Claims:

Claim 1 (Currently Amended): A flash unit comprising:

an LED ~~a light emitting element~~; and

a light condensing plate; ~~comprising:~~ ¶

a guide which is disposed between the LED and the light condensing plate for preventing the light emitted from the LED from dispersing, wherein

the light condensing plate comprises a light dispersing surface on a side of the light condensing plate facing the ~~light emitting element~~ to LED to equalize intensity of light emitted from the LED ~~light emitting element~~; and a convexo-concave surface on the other side of the light condensing plate for condensing the light emitted from the ~~light emitting element~~ LED, and ¶

the guide has an opening section that is equal to the emission area of the LED, and the opening section is disposed in proximity of the emission area or in contact with the emission area.

Claim 2 (Cancelled): The flash unit according to Claim 1 further comprising a guide disposed between the light emitting element and the light condensing plate for preventing the light emitted from the light emitting element from dispersing.

Claim 3 (Currently Amended): A camera device comprising:

a camera module for capturing an image; and

~~a light emitting element; and~~

~~a light condensing plate, comprising:~~

~~a light condensing surface~~ a flash unit having: an LED implanted on a substrate having the camera module thereon, the LED adjoining the camera module; a light condensing plate, and a guide that is disposed between the LED and the light condensing plate for preventing the light emitted from the LED from dispersing, wherein

the light condensing plate comprises a light condensing surface ~~having a dimmed light dispersing print disposed on a side of the light condensing plate facing the light emitting element to equalize light emitted from the light emitting element~~ LED; and a convexo-concave surface on the other side of the light condensing plate for condensing light emitted from the light emitting element. LED, and; ¶

the guide has an opening section that is equal to the emission area of the LED, and the opening section is disposed in proximity of the emission area or in contact with the emission area.

Claim 4 (Original): The camera device according to Claim 3 wherein the light condensing plate is unitarily formed with a lens of the camera module.

Claim 5 (Original): The camera device according to Claim 3 wherein the light condensing plate is unitarily formed with a lens cover of the camera module.

Claim 6 (Cancelled): The camera device according to Claim 3 further comprising a guide which is disposed between the light emitting element and the light condensing plate for preventing the light emitted from the light emitting element from dispersing.

Claim 7 (Currently Amended): The camera device according to Claim 6 ~~4~~ wherein a thickest dimension T of a plate between the light condensing plate and said lens is $T \leq 1.0$ mm.

Claim 8 (Currently Amended): The camera device according to Claim 6 5 wherein a thickest dimension T of a plate area between the light condensing plate and said lens cover is $T \leq 1.0$ mm.

Claim 9 (Currently Amended): The camera device according to Claim 7 4 wherein the ~~light emitting element~~ emission area of the LED is disposed lower than said lens of the camera module with reference to a surface of a board to which the camera module is attached.

Claim 10 (Currently Amended): A mobile terminal comprising:

~~A light emitting element; and ¶-~~

a camera module for capturing an image;

an LED implemented on a substrate having the camera module thereon, the LED adjoining the camera module;

a flash unit having: an LED implemented on a substrate having the camera module thereon, the LED adjoining the camera module; a light condensing plate, and a guide that is disposed between the LED and the light condensing plate for preventing the light emitted from the LED from dispersing, wherein

a the light condensing plate, ~~comprising~~comprises:

a light condensing surface having a dimmed light dispersing print disposed on a side of the light condensing plate facing the ~~light emitting element~~ LED to equalize light emitted from the ~~light emitting element~~ LED; and a convexo-concave surface on the other side of the light condensing plate for condensing light emitted from the ~~light emitting element~~ LED; and

the guide has an opening section that is equal to the emission area of the LED, and the opening section is disposed in proximity of the emission area or in contact with the emission area.

Claim 11 (Cancelled): The mobile terminal according to Claim 10 further comprising a guide disposed between the light emitting element and the light condensing plate for preventing light emitted from dispersing.

Claim 12 (Currently Amended): The mobile terminal according to Claim 10 further comprising a camera module for capturing an image and the light condensing plate is unitarily formed with a lens of the camera module.

Claim 13 (Currently Amended): The mobile terminal according to Claim 10 further comprising a camera module for capturing an image and the light condensing plate is unitarily formed with a lens cover of the camera module.

Claim 14 (Currently Amended): The mobile terminal according to Claim ~~11~~ 12 wherein a thickest dimension T of a plate area between the light condensing plate and said lens is $T \leq 1.0$ mm.

Claim 15 (Currently Amended): The mobile terminal according to Claim ~~11~~ 13 wherein a thickest dimension T of a plate area between the light condensing plate and said lens cover is $T \leq 1.0$ mm.

Claim 16 (Currently Amended): The mobile terminal according to Claim 12 wherein ~~the light emitting element~~ emission area of the LED is disposed lower than said lens of the camera module with reference to a surface of a board to which said camera module is attached.

Claim 17 (New): The mobile terminal according to Claim 10, wherein the camera module is disposed on the substrate.